



SECTION NO.
963-055



MOMENTS OF INERTIA:
 $I_{xx} = 6827 \text{ mm}^4$
 $I_{yy} = 10667 \text{ mm}^4$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

				AREA 320.0 SQ MM WEIGHT 0.867 KG M PERIMETER 72.0 MM ANOD PERIM 72.0 MM PAINT PERIM 100.0 MM C CIRCLE DIA 26 MM FACTOR 83 ALLOY 6060 TEMPER T5	 <p>G. James Extrusion Co.</p> <p>A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1376, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890</p>	CUSTOMER G. JAMES EXTRUSION	
				CUSTOMER PART NAME NO. 20 x 16 RECT. SOLID			
				SCALE 2:1	TOLERANCES IN ACCORDANCE WITH AS 1866-1986 APPLY UNLESS OTHERWISE SPECIFIED		
NO	DATE	DR	REVISION	DRAWN SPG	CHECK	DATE 04/03/96	DWG. NO. 963-055