


SECTION NO.
940-200



TOTAL SURFACE EXPOSED

SECTION DATA:
 $I_{xx} = 922\,621 \text{ mm}^4$
 $I_{yy} = 10\,076\,981 \text{ mm}^4$
 $\text{Theta} = 1.0$
 $\text{RadG}_x = 21. \text{ mm}$
 $\text{RadG}_y = 69. \text{ mm}$
 $X_{\text{Right}} = 100.0 \text{ mm}$
 $X_{\text{Left}} = 100.0 \text{ mm}$
 $Y_{\text{Top}} = 25.0 \text{ mm}$
 $Y_{\text{Bot}} = 25.0 \text{ mm}$
 $Z_{x\text{top}} = 36\,905 \text{ mm}$
 $Z_{x\text{bot}} = 36\,905 \text{ mm}$
 $Z_{y\text{right}} = 100\,770 \text{ mm}$
 $Z_{y\text{left}} = 100\,770 \text{ mm}$

0.40 RADIUS ON ALL OUTSIDE CORNERS
UNLESS OTHERWISE SPECIFIED

EXTRUDED FINISH : ARCHITECTURAL

			B	AREA	2104.0	SQ MM	 G. James Extrusion Co. A.C.N 010 828 234 1082 KINGSFORD SMITH DRIVE, EAGLE FARM, QUEENSLAND, 4009 PO BOX 1378, EAGLE FARM BC, 4009 PHONE : (07) 3877 2833 FAX : (07) 3877 2890	CUSTOMER		G. JAMES EXTRUSION Co.		
				WEIGHT	5.702	KG M		CUSTOMER PART NAME		NO.		
				PERIMETER	960.0	MM		200 x 50 x 6 x 4 RECT. BOX				
				ANGD PERIM	500.0	MM		SCALE		TOLERANCES IN ACCORDANCE WITH AS 1886-1988 APPLY UNLESS OTHERWISE SPECIFIED		
				PANT PERIM	500.0	MM		1:1				
				C CIRCLE DIA	206.	MM		DRAWN		CHECK	DATE	DWG. NO.
				FACTOR	168.			SPG			07/06/96	940-200
				ALLOY	6106							
				TEMPER	T5							
1	02/11/98	PAD	SECTION NO. WAS 983-071 C/N 3155									
NO	DATE	DR	REVISION									