



246 3 Track (101mm) Series Sliding Door

Standard Size Range / Configurations



Corner Door – Standard Size Range / Configurations



* Refer Page 17, Diagram 1 for the orientation of an *Inside Corner* configuration.

** Refer Page 17, Diagram 2 for the orientation of an *Outside Corner* configuration.

Important - Corner Door Product Specific Notes:


- Consult your G.James representative for:
 - > *Stud Opening* width dimensions relative to your wall construction
 - > Specific reference points for (W1) & (W2) dimensions
 - > Set-out details.
- The *Outer Frame Size* dimensions are based on standard size, toughened glass panels. Additional charge will apply for non-standard sizes.

246 Series 5 Track (168mm) Sliding Door


Standard Size Range / Configurations

Stud Opening (Frame Size with reveals + 10mm clearance)


Outer Frame Size (excludes fixing fin & reveals)



XX0 (with Screens) Plan View



OXXXX0 (with Screens) Plan View



Product Specific Notes:

- All sliding panels are positioned on the inner most track(s) with any screens to the outer track(s).
- All sliding panels are positioned on the inner most track(s) with any screens to the outer track(s). This situation may differ for XX0 and OXXXX0 configurations - check with your G.James Representative.
- The frame size of all 2100mm high doors supplied to N5C3(W60) category sites will be at 2054mm high.
- Sizes up to 2400mm, non-screenable configurations and low profile sill (excluding corner doors) are available on request.

246 Series 5 Track (168mm) Corner Door

Standard Size Range / Configurations

Stud Opening (Important: Refer Size Chart and Product Specific Notes below)

Outer Frame Size (excludes fixing fin & reveals)

Inside Corner Width (mm) - see Diagram 1 below

Outside Corner Width (mm) - see Diagram 2 below

Consult your G.James representative for the Stud Opening Width dimensions relative to your wall construction

Height (mm)	2130	2100	2103 (W1) / 2090 (W2)	2553 (W1) / 2540 (W2)	2404 (W1) / 2391 (W2)	2854 (W1) / 2841 (W2)
	90° Inside Corner		90° Outside Corner			
	3003 (W1) / 2990 (W2)	3453 (W1) / 3440 (W2)	3304 (W1) / 3291 (W2)	3754 (W1) / 3741 (W2)		
Consult your G.James representative for the Stud Opening Width dimensions relative to your wall construction						

Diagram 1 – Inside Corner







Diagram 2 – Outside Corner



Important - Corner Door Product Specific Notes:

- Consult your G.James representative for:
 - > Stud Opening width dimensions relative to your wall construction
 - > Specific reference points for (W1) & (W2) dimensions
 - > Set-out details.

- The Outer Frame Size dimensions are based on standard size, toughened glass panels. Additional charge will apply for non-standard sizes.