

132 Series Sliding Window

Standard Size Range / Configurations

Stud Opening (Frame Size with reveals + 10mm clearance)

Outer Frame Size (excludes fixing fin & reveals)

		Width (mm)							
		660	960	1260	1560	1860	2160	2460	2760
		610	910	1210	1510	1810	2110	2410	2710
650	600								
950	900								
1250	1200								
1550	1500								

Legend

X	O	X	O	X	O	X	O
Slider	Fixed						
1/2	1/2	1/4	1/2	1/4	1/4	1/4	1/4

Note: The above Size Range also applies to the 076 Series Double Glazed Sliding Window (XO & XOX configurations only available).

Product Specific Notes:

- Configurations greater than 2710mm wide are available.
- All configurations are viewed from the outside looking inside.
- All two panel windows will be supplied as XO (slider / fixed) unless requested otherwise.
- Key lock handle upgrade available (additional cost applies).

132 Series Window Wall

Standard Size Range / Configurations

Stud Opening (Frame Size with reveals + 10mm clearance)

Outer Frame Size (excludes fixing fin & reveals)

		Width (mm)															
		960	1260	1560	1860	2160	2460	2760	3060								
		910	1210	1510	1810	2110	2410	2710	3010								
Height (mm)	1850																
	1800																
	2150																
	2100																

* Not available as a 1500/600mm split

Legend

1800mm High Split

XO / OO	XOX / OOO	OXXO / OOOO
1200mm 600mm 	1200mm 600mm 	1200mm 600mm
1/2 1/2	1/4 1/2 1/4	1/4 1/4 1/4 1/4

Options

XO / XO Window Wall

XO with 3 Bay Louvre Low Light

Window Wall with Semi-Circle Head

Window Wall with Raked Head

2100mm High Split Options (Customer is to nominate the height split required at time of order).

XO / OO	XOX / OOO	OXXO / OOOO
1200mm 900mm 	1200mm 900mm 	1200mm 900mm
1/2 1/2	1/4 1/2 1/4	1/4 1/4 1/4 1/4
XO / OO	XOX / OOO	OXXO / OOOO
1500mm 600mm 	1500mm 600mm 	1500mm 600mm
1/2 1/2	1/4 1/2 1/4	1/4 1/4 1/4 1/4


Product Specific Notes:

- All configurations are viewed from the outside looking inside.
- All two panel windows will be supplied as XO (slider/ fixed) unless requested otherwise.
- The above '2100mm high' illustrations are scaled with a 1500/600 transom split with the exception of 2110mm & 2410mm wide units which are only available with a 1200/900mm split.


- Mullion(s) to bottom fixed panels will be supplied as standard unless otherwise requested.
- All panels to the lower portion of a window wall will be supplied as fixed panels unless requested otherwise.
- Height splits refer to the centre of the transom.
- Key lock handle upgrade available (additional cost applies).




132 Series Bay Window Configurations




X0 Bay




XOX Bay




OXX0 Bay



X0 Window Wall Bay



XOX Window Wall Bay



OXX0 Window Wall Bay

Product Specific Notes :

- All configurations are viewed from the outside looking inside.
- Standard height and width dimensions are as per the 132 Series Sliding Window and Window Wall Size Range – see Pages 9 & 10.


- Bay window configurations illustrated above show a 135° angle, 90° available upon request.

Fixed Windows Configurations

Rectangle / Square




Single Panel




Two Panel – Equal (Horz.)

1/2
1/2




Two Panel – Unequal (Horz.)

2/3
1/3



Three Panel – Equal (Horz.)


1/3
1/3
1/3




Four Panel – Equal Corners

1/2 1/2
1/2
1/2


Other




Colonial Bars




Federation Bars



Raked Window



Circle



Semi-Circle

Product Specific Notes:

- A minimum diameter of 600mm (painted frames) and 800mm (anodised frames) applies to circles, semi-circles and arches.